This document will walk you through setting up and scanning your AWS environments in JASP. If you have any issues, please email us at support@jemurai.com. We will respond as soon as possible.

- 1. Create your account at <u>https://app.jasp.cloud/#/signup/</u>
- 2. Once completed, you should land here:

🕅 JASP		THE ONE THING	ENVIRONMENTS	REPORTING	NEWS	8
ENVIRONMENTS						
ADMIN	ENVIRONMENTS					
Add Environment	STATUS NAME↑	LAST SCAN			FINDINGS	
		No data available				
			Rows pe	er page: 10 🔻	-	< >

3. Click the "+" next to "Add Environment" then select "AWS"

🦁 J/	ASP		THE ONE THING	ENVIRONMENTS	REPORTING	NEWS	8
ENVI	RONMENTS						
AD	MIN	ENVIRONMENTS					
\bigcirc	Add Environment	STATUS NAME↑	LAST SCAN			FINDINGS	
	AWS		No data available				
Δ	Azure			Rows pe	r page: 10 🔻	-	< >
0	Google Cloud Platform						
0	Github						
₽	On Premises						
_							

4. Enter the name your environment then click "add"

💱 JASP		THE ONE THING	ENVIRONMENTS	REPORTING	NEWS	0
ENVIRONMENTS						
ADMIN	ENVIRONMENTS					
Add Environment	STATUS NAME↑	LAST SCAN			FINDINGS	
		No data available				
	New AWS Environment	×	Rows pe	r page: 10 👻		< >
	Name					
	Choose a unique name that is convenient for you.	ADD CANCEL				

5. Click on the name of your new environment

💱 JASP		THE ONE THING	ENVIRONMENTS	REPORTING	NEWS	θ
ENVIRONMENTS						
ADMIN	ENVIRONMENTS					
Add Environment	STATUS NAME 1	LAST SC	AN		FINDINGS	
	1 Production			0 open		
			Rows per page:	10 💌	1-1 of 1	< >

6. Select "Configure Env Access"

🔯 JASP		THE ONE THING	ENVIRONMENTS	REPORTING	NEWS	8
ENVIRONMENTS / PRODUCTION						
SCAN HISTORY	FINDINGS SUMMARY (LATEST SCAN)			() ENVIRONME	NT STATUS	
SCAN NOW	0 open findings	BEGIN REMEDI		nvironment acce onfigured	ess is not yet	
	Findings by type		\leq	CONFIGU	JRE ENV ACCESS	
	NAME T COUNT			ENVIRONMENT	DETAILS	
	No data available		F	ame roduction		
	Rows per page: 10	• - <	> T	er ier 1		•
			C	escription		
						lı
			1	EDI	T DETAILS	

- 7. Choose how to give JASP read-only access by:
 - a. Setting up a <u>read-only user</u> for JASP and filling in the key/secret
 - b. Setting up an <u>STS role</u> for JASP then filling in the ARN

💱 JASP		THE ONE THING	ENVIRG				Θ
ENVIRONMENTS / PRODUCTION		AWS Configuration ×					
SCAN HISTORY	FINDIN	Allow JASP read-only access to your AWS environment in one of two ways:				NT STATUS	
SCAN NOW	0 oper	Option 1: Set up a read-only user for JASP and fill in the key/secre here. <u>Click here</u> for detailed instructions.	on	E	invironment acce	ess is not yet	
	Finding	AWS Access Key			CONFIGL	JRE ENV ACCESS	
	NAN	AWS Secret			ENVIRONMENT	DETAILS	
		Option 2: Set up an STS role for JASP then fill in the ARN below. Click here for detailed instructions on setting up an STS role. You'	π	F	lame Production		
		need the account id and external id listed below to finish the setup.	>	T	^{ier} 'ier 1		-
		JASP Account Id 394669115745					
		Environment External Id 64b9fdf9-cb3a-4d37-b01c-e09e57e83410					
		AWS Role ARN			EDI	T DETAILS	
			_				

8. Once done, make sure you have a green check mark next to "environment status", then select "**scan now**" (If you do not have green check mark, make sure you setup read-only access and entered your information correctly. If correctly done and you're still not seeing a green checkmark, email us at support@jemurai.com).

🦁 JASP		THE ONE THING	ENVIRONMENTS	REPORTING	NEWS	Θ	
ENVIRONMENTS / PRODUCTION							
SCAN HISTORY	FINDINGS SUMMARY (LATES	r scan)			🥑 environme	NT STATUS	
SCAN NOW	0 open findings		BEGIN REMEDI	ATION	nvironment acce RECONFIG	ess is configured	
	Findings by type				ENVIRONMENT	DETAILS	_
	NAME 🛧	COUNT		N	ame		
		P	Production				
		Rows per page: 10	- <	> 7	er ier 1		•
					escription		
							t.
					EDI	T DETAILS	

9. It should show that a scan has **started**, and a list of findings should appear within 30 minutes.

🕅 JASP	ENVIRONMENTS	REPORTING	NEWS	8			
ENVIRONMENTS / PRODUCTION			-	_			
SCAN HISTORY	FINDINGS SUMMARY (LATEST SCAN)			S ENVIRONME	ENT STATUS		
~	New scan requested. This may take up to an hour, depending on the size of your enviro		Environment access is configured				
2018-09-11 1:47 PM	If results don't appear here within 30 minutes, try refreshing the p	bage.		RECONFIGURE ENV ACCESS			
started				ENVIRONMENT	DETAILS		
				Name Production		_	
				Tier			
				Tier 1		•	
				Description			
						tt	
				EDI	T DETAILS		

How to add more environments:

1. Select "environments"

🕅 JASP	THE ONE THING	ENVIRONMENTS	REPORTING	NEWS	θ			
ENVIRONMENTS / PRODUCTION								
SCAN HISTORY	FINDINGS SUMMARY (LATEST SCAN)			📀 environme	NT STATUS			
SCAN NOW	290 open findings BEGIN REMEDIATION			Environment access is configured				
2018-09-11 1:47 PM completed 290 OPEN	Findings by type			ENVIRONMENT	DETAILS			
	NAME T	COUNT	N	Name				
	CloudTrail: Global service logging duplicated	1 FINDIN	G					
	CloudTrail: Log file validation disabled	1 FINDIN	G Ti	Tier Tier 1				
	EC2: All ports open	19 FINDIN	GS					
	EC2: Non-empty rulesets for default security groups	36 FINDIN	GS	- Description				

2. Go back to Step 3 above